

 caesarstone®



Surfaces For Your Home

Combining the beauty and strength of quartz – one of nature's strongest minerals – Caesarstone® quartz surfaces retain the cool, tactile qualities of natural stone yet are resistant to stains, scratches and are easy to clean.

With so many stunning designs to choose from, there's always a Caesarstone® surface for your kitchen, bathroom and more.



Choose Caesarstone®

Our surfaces consist of up to 93 percent quartz which is stronger than natural stone and one of nature's hardest minerals. Caesarstone® surfaces are resistant to stains, scratches, cracks, heat and common household chemicals.

Non-porous, waterproof, mould and mildew resistant, Caesarstone® quartz surfaces are ideal for numerous applications. Large slabs provide a sleek and modern aesthetic, minimising joins and therefore maintenance.

Insist on the original quartz surface


- ✓ Scratch and stain resistant
- ✓ Waterproof - never requires sealing
- ✓ Heat resistant
- ✓ Superior strength and flexibility
- ✓ Mould and mildew resistant
- ✓ Resistant to most household chemicals, acids and oils
- ✓ 10 Year Limited Warranty
- ✓ Complies with GREENGUARD's stringent indoor air emission standards
- ✓ Compliance with NSF 51, the international Health and Safety Foundation sanitary standard



Create Your Dream Space

Whether you're designing a kitchen, bathroom or commercial space, our online photo gallery and Visualiser tool are an ideal way to explore different colour ideas, refine your style choices and share your design online.

Use our online Find a Display locator to discover Caesarstone® displays at kitchen showrooms in your area, then email or SMS yourself directions.



Calacatta Nuvo™ 5131

For the latest design ideas & inspiration,
visit us online at www.caesarstone.co.nz


Supernatural Designs

Inspired by some of the world's most beautiful natural marble, Caesarstone's supernatural designs represent the newest additions to the Classico™ collection, all with a unique blend of earthy tones and delicate infused veins.


With all the stain, scratch and water resistant qualities of quartz, the supernatural designs are ideal for benchtops, splashbacks, wall linings and furniture.




Statuario Nuvo™ 5111




Frosty Carrina™ 5141



London Grey™ 5000



Alpine Mist™ 5110



Bianco Drift™ 6131




Dreamy Marfil™ 5220



Emperadoro™ 5380



Piatra Grey™ 5003




Vanilla Noir™ 5100

Classico™ Collection



Pure White™ 1141 ▲ P




Snow™ 2141 ▲ ■ PJ



Organic White™ 4600 ▲ ■ D




Osprey™ 3141 ▲ ■ PJ




Ice Snow™ 9141 ▲ ■ PJ



Ocean Foam™ 6141 ▲ ■ S



Nougat™ 6600 ▲ ■ D



Atlantic Salt™ 6270 ▲ ■ S




Calacatta Nuvo™ 5131

▲ SNU




Statuario Nuvo™ 5111

▲ SNU




Alpine Mist™ 5110

▲ SN



London Grey™ 5000

▲ SN




Frosty Carrina™ 5141

▲ ■ SN



Fresh Concrete™ 4001

● D



Raw Concrete™ 4004

● D



Sleek Concrete™ 4003

● D

- Caesarstone® slab nominal dimensions are 3,060mm by 1,440mm.
- Slab weights: 20mm = 220kg, 30mm = 330kg.
- Standard slab thickness is 20mm.



Buttermilk™ 4220

▲ D




Dreamy Marfil™ 5220

▲ SN



Bianco Drift™ 6131

▲ SN



Nimbus™ 9601

▲ PJ



Shitake™ 4230

▲ D



Ginger™ 4330

▲ D



Clamshell™ 4130


▲ D



Oyster™ 4030


▲ D

- Caesarstone® is made from natural quartz and therefore some variation in colour and aggregate may occur. sample or full slab as the colours in this brochure are only as close as modern printing methods allow.




Wild Rice™ 4360

▲ D




Wild Rocks™ 6250

▲ S




Piatra Grey™ 5003

▲ SN




Raven™ 4120

▲ ■ D



Emperador™ 5380

▲ SN



Vanilla Noir™ 5100

▲ SN



Jet Black™ 3100

▲ S

We always recommend making final colour selection from an actual

Edge Profiles

Caesarstone® recommends a minimum radius of 3-4mm on any edge detail for optimal strength and durability. There are many edge profiles to choose from, including single thickness 20mm or 30mm slabs, through to laminated double thickness edge options.



Standard Pencil Edge
with 3-4mm Radius



Mitred
Apron

10 Year Limited Warranty

Caesarstone® quartz surfaces come with a 10 Year Limited Warranty. After installation you will receive your complimentary Caesarstone® Cleaning Kit. Each Caesarstone® slab is stamped on the underside with unique identification information establishing authenticity.

High Style, Low Maintenance

Caesarstone's polished quartz surfaces never need sealing and require very little maintenance to keep them looking like new. The hard, non-porous surface makes cleaning simple. In most cases, soap and water or a mild detergent are all that are required to maintain its lustre. Please understand that the concrete finish will require more daily care and maintenance than our polished finish.

It is also important to understand that like all materials dark colours show marks and smears more readily than light colours.

For extra-stubborn spills we recommend using Caesarstone® Cream Cleanser, which is detailed in our Care and Maintenance guide.



Wall Linings

Non-porous, waterproof, mould and mildew resistant, Caesarstone® quartz surfaces are ideal for kitchen splashbacks and bathroom wall linings. Large slabs provide a sleek and modern aesthetic, minimising joins and maintenance.




Concetto®

The Semi-Precious Stone Collection.

A collection of extraordinary surfaces
hand-made from individually cut and
bound semi-precious stones.

Amethyst



Blue Agate



Distributed and marketed by

Laminex
New Zealand®

A division of FLETCHER BUILDING PRODUCTS LTD

For order enquiries please phone 0800 303 606

For samples please phone 0800 99 99 39

www.caesarstone.co.nz



© Copyright Caesarstone® 2015. Caesarstone® and other Caesarstone® marks are trade marks of Caesarstone® Sdot-Yam Limited and they are used under licence by Laminex New Zealand® a division of Fletcher Building Products Ltd. Printed February 2016 and supersedes all previous versions and subject to change without notice.